

medicare



Crohn's disease adult – continuing authority application

When to use this form

Use this form to apply for **continuing** PBS-subsidised biological medicines for patients 18 years or over with severe Crohn's disease.

Important information

Continuing authority applications must be in writing and must include sufficient information to determine the patient's eligibility according to the PBS criteria.

Applications for **balance of supply** can be made in real time using the **Online PBS Authorities** system or by phone. Call 1800 700 270 Monday to Friday, 8 am to 5 pm, local time.

Under no circumstances will phone approvals be granted for severe Crohn's disease **continuing** authority applications.

Where the term 'biological medicine' appears, it refers to adalimumab, infliximab, upadacitinib, ustekinumab or vedolizumab.

The information in this form is correct at the time of publishing and may be subject to change.

Continuing treatment

This form is ONLY for continuing treatment.

After a written authority application for the **first continuing** treatment has been approved, **subsequent continuing** treatments with PBS-subsidised biosimilar brands of biological medicines are **Authority Required (STREAMLINED)** and do not require authority approval from Services Australia for the listed quantity and repeats.

Continuing treatment with PBS-subsidised **infliximab s.c.** is **Authority Required (STREAMLINED)** and does not require authority approval from Services Australia for the listed quantity and repeats.

Section 100 arrangements for infliximab i.v. and vedolizumab i.v.

These items are available to a patient who is attending:

- an approved private hospital, or
- · a public hospital

and is a:

- day admitted patient
- non-admitted patient, or
- patient on discharge.

These items are not available as a PBS benefit for in-patients of a public hospital.

The hospital name and provider number must be included in this authority form.

Treatment specifics

The assessment of the patient's response to the course of treatment must be conducted within the time frame specified in the restriction. Where a demonstration of response is not conducted within the required time frame, the patient will be deemed to have failed treatment with that particular PBS-subsidised biological medicine.

A patient who has experienced a serious adverse reaction of a severity necessitating permanent treatment withdrawal is not considered to have failed treatment with that particular PBS-subsidised biological medicine.

For more information

Go to servicesaustralia.gov.au/healthprofessionals

PB088.2511 **1 of 4**



medicare



Crohn's disease adult – continuing authority application

Patient's details		Hospital details		
1	Medicare card number	9 Hospital name		
2	or Department of Veterans' Affairs card number Family name First given name	This hospital is a: public hospital private hospital Hospital provider number Conditions and criteria		
3	Date of birth (DD MM YYYY)	To qualify for PBS authority approval, the following conditions must be met.		
4 5	Patient's weight kg Patient's height	 11 The patient is being treated by a: gastroenterologist consultant physician specialising in gastroenterology (either internal medicine or general medicine). 12 This application is for: 		
Prescriber's details		adalimumab infliximab i.v.		
6	Prescriber number	upadacitinib 15mg upadacitinib 30mg ustekinumab		
7	Family name First given name	vedolizumab i.v. vedolizumab s.c. 13 Has the patient previously received this biological medicine (regardless of formulation) as their most recent course of PBS-subsidised treatment for this condition?		
8	Business phone number (including area code) Alternative phone number (including area code)	No Dates of the most recent treatment course From (DD MM YYYY) To (DD MM YYYY)		



MCA0PB088 2511

14	The patient has demonstrated or sustained an adequate response to treatment with this drug evidenced by:	Prescriber's declaration		
	a reduction in the Crohn's Disease Activity Index (CDAI) score to a level ≤ 150 if assessed by CDAI or if affected by extensive small intestine disease	You do not need to sign the declaration if you complete this form using Adobe Acrobat Reader and return this form through Health Professional Online Services (HPOS) at servicesaustralia.gov.au/hpos		
	CDAI score	17 I declare that:		
	Date of assessment (no more than 4 weeks old) (DD MM YYYY)	I am aware that this patient must meet the criteria listed in the current Schedule of Pharmaceutical Benefits to be eligible for this medicine		
	or an improvement of intestinal inflammation as demonstrated by at least one of the following: blood: normalisation of the platelet count blood: erythrocyte sedimentation rate (ESR) ≤ 25 mm/hour blood: C-reactive protein (CRP) ≤ 15 mg/L faeces: normalisation of lactoferrin or calprotectin level evidence of mucosal healing, as demonstrated by diagnostic imaging findings, compared to the baseline assessment or reversal of high faecal output state or avoidance of the need for surgery or total parenteral nutrition (TPN) if affected by short gut syndrome, extensive small intestine disease or is an ostomy patient or (for upadacitinib 30mg ONLY)	 I have informed the patient that their personal information (including health information) will be disclosed to Services Australia for the purposes of assessing and processing this authority application I have provided details of the proposed prescription(s) and the relevant attachments as specified in the Pharmaceutical Benefits Scheme restriction the information I have provided in this form is complete and correct. I understand that: giving false or misleading information is a serious offence. I have read, understood and agree to the above. Date (DD MM YYYY) (you must date this declaration) Prescriber's signature (only required if returning by post) 		
	the condition has not met the improvements specified above due to the prescribed dose of 15mg being too low - this authority application seeks higher dosing of 30mg.	Returning this form Return this form, details of the proposed prescription(s) and any relevant attachments:		
Che	ecklist	online (no signature required), upload through HPOS at servicesaustralia.gov.au/hpos		
15	The relevant attachments need to be provided with this form. Details of the proposed prescription(s). The relevant pathology reports, diagnostic imaging test(s) and/or the completed Adult Crohn's Disease Activity Index calculation sheet.	or • by post (signature required) to Services Australia Complex Drugs Programs Reply Paid 9826 HOBART TAS 7001		
Pri	vacy notice			
	Personal information is protected by law (including the <i>Privacy Act 1988</i>) and is collected by Services Australia for the purposes of assessing and processing this authority application. Personal information may be used by Services Australia, or given to other parties where the individual has agreed to this, or where it is required or authorised by law (including for the purpose of research or conducting investigations). More information about the way in which Services Australia manages personal information, including our privacy policy, can be found at servicesaustralia.gov.au/privacypolicy			



medicare

Adult Crohn's Disease Activity Index



Week ending (DD MM YYYY) Each parameter in this table must be assig	ined a value.		Factor	Subtotal
Liquid stools (cumulative total over the last 7 days)	Number of liquid or soft stools over the last 7 days	sum =	x 2	
Abdominal pain † (cumulative total over the last 7 days)	Daily assessment †	sum =	х 5	
General well being ‡ (cumulative total over the last 7 days)	Daily assessment ‡	sum =	х7	
Extra-intestinal				
Arthritis/arthralgia	None = 0 Yes = 1	score =	x 20	
Iritis/uveitis	None = 0 Yes = 1	score =	x 20	
Skin/mouth lesions	None = 0 Yes = 1	score =	x 20	
Peri-anal disease	None = 0 Yes = 1	score =	x 20	
Other fistula	None = 0 Yes = 1	score =	x 20	
Fever > 37.8°C	None = 0 Yes = 1	score =	x 20	
Anti-diarrhoeals	None = 0 Yes = 1	score =	x 30	
Abdominal mass	None = 0 Questionable = 2 Definite = 5	score =	x 10	
	Males (47 – Hct)	score =	x 6	
Haematocrit (Hct)	Females (42 – Hct)	score =	x 6	
Weight	leight Standard kg		/ current	
(Maximum deduction of -10 for overweight patients)	Current kg	kg	100 x (1 - standard)	
		•	TOTAL CDAI SCORE	

†	None = 0
Abdominal	Intermediate = 1 or 2
pain	Severe = 3
‡	Well = 0
General well	Intermediate = 1, 2 or 3
being	Terrible = 4