

Crohn's disease adult – change or recommencement authority application

Online PBS Authorities



You do not need to complete this form if you use the **Online PBS Authorities** system.

For more information and how to access the **Online PBS Authorities** system, go to servicesaustralia.gov.au/hppbsauthorities

When to use this form

Use this form to apply for **changing** or **recommencing** PBS-subsidised biological medicines for patients 18 years or over with severe Crohn's disease.

Important information

Authority applications can be made using the **Online PBS Authorities** system or in writing and must include sufficient information to determine the patient's eligibility according to the PBS criteria.

Applications for **balance of supply** can be made in real time using the **Online PBS Authorities** system or by phone. Call 1800 700 270 Monday to Friday, 8 am to 5 pm, local time.

Under no circumstances will phone approvals be granted for severe Crohn's disease **change** or **recommencement** authority applications.

Where the term 'biological medicine' appears, it refers to adalimumab, infliximab, upadacitinib, ustekinumab or vedolizumab.

The information in this form is correct at the time of publishing and may be subject to change.

Continuing treatment

This form is **ONLY** for **changing** or **recommencing** treatment.

After an authority application for **first continuing** treatment has been approved, **subsequent continuing** treatments with PBS-subsidised biosimilar brands of biological medicines are **Authority Required (STREAMLINED)** and do not require authority approval from Services Australia for the listed quantity and repeats.

Continuing treatment with PBS-subsidised **infliximab s.c.** is **Authority Required (STREAMLINED)** and does not require authority approval from Services Australia for the listed quantity and repeats.

Section 100 arrangements for infliximab i.v., vedolizumab i.v. and ustekinumab i.v.

These items are available to a patient who is attending:

- an approved private hospital, **or**
- a public hospital

and is a:

- day admitted patient
- non-admitted patient, **or**
- patient on discharge.

These items are not available as a PBS benefit for in-patients of a public hospital.

The hospital name and provider number must be included in this authority form.

Treatment specifics

The assessment of the patient's response to the course of treatment must be conducted within the time frame specified in the restriction. Where an assessment is not conducted within the required time frame, the patient will be deemed to have failed treatment with that particular PBS-subsidised biological medicine.

A patient who has experienced a serious adverse reaction of a severity necessitating permanent treatment withdrawal is not considered to have failed treatment with that PBS-subsidised biological medicine.

For more information

Go to servicesaustralia.gov.au/healthprofessionals

medicare



Crohn's disease adult – change or recommencement authority application

Online PBS Authorities



You do not need to complete this form if you use the
Online PBS Authorities system.

Go to servicesaustralia.gov.au/hppbsauthorities

Patient's details

1 Medicare card number

Ref no.

or

Department of Veterans' Affairs card number

2 Family name

First given name

3 Date of birth (DD MM YYYY)

4 Patient's weight

 kg

5 Patient's height

 cm

Prescriber's details

6 Prescriber number

7 Family name

First given name

8 Business phone number (including area code)

Alternative phone number (including area code)

Hospital details

9 Hospital name

This hospital is a:

☐ public hospital

☐ private hospital

10 Hospital provider number

Conditions and criteria

To qualify for PBS authority approval, the following conditions must be met.

11 The patient is being treated by a:

☐ gastroenterologist

☐ consultant physician specialising in gastroenterology
(either internal medicine or general medicine).

12 This application is for:

☐ adalimumab

(maximum 16 weeks of treatment)

☐ infliximab i.v. (at a dose of 5 mg/kg)
(maximum 3 doses at weeks 0, 2 and 6)

☐ upadacitinib

☐ ustekinumab

(maximum 2 doses - 1 IV loading at week 0 and 1 SC dose
at week 8)

☐ vedolizumab i.v.

(maximum 3 doses at weeks 0, 2 and 6)

► **Go to 15**

or

☐ infliximab s.c. with i.v. loading
(at a dose of 5 mg/kg)

► **Go to 13**

or

☐ vedolizumab s.c.

► **Go to 14**

13 Does the patient have a concurrent PBS authority application for the IV form of infliximab that is approved or to be approved?

Yes ☐ ► **Go to 15**

No ☐



MCA0PB235 2512

14 The patient has:

- ☐ received at least 2 of the 3 initial IV infusions with vedolizumab for this condition at weeks 0, 2 and 6

► **Go to 25**

or

- ☐ a concurrent authority application for at least 2 of the 3 initial IV infusions with vedolizumab for this condition at weeks 0, 2 and 6

► **Go to 15**

15 The patient:

- ☐ is **changing** PBS-subsidised biological treatment for this condition after a break **< 5 years** (including **no break**)

► **Go to 16**

or

- ☐ is **recommencing** PBS-subsidised biological treatment for this condition after a break **< 5 years**:

► **Go to 16**

or

- ☐ is **recommencing** PBS-subsidised biological treatment for this condition after a break **> 5 years**

and

- ☐ has confirmed severe Crohn disease, defined by standard clinical, endoscopic and/or imaging features, including histological evidence, with the diagnosis confirmed by a gastroenterologist or a consultant physician.

and

- ☐ has received prior PBS-subsidised treatment with a biological medicine for this condition

and

- ☐ has had a break in treatment of 5 years or more from the most recently approved PBS-subsidised biological medicine for this condition

and

- ☐ Provide date of the most recent clinical assessment (DD MM YYYY)

--	--	--	--	--	--

and

- ☐ will be submitting a new baseline

► **Go to 23**

16 The patient:

- ☐ has received prior PBS-subsidised treatment with a biological medicine for this condition in this treatment cycle

Most recent biological medicine

--	--	--	--	--	--

From (DD MM YYYY)

--	--	--	--	--	--

To (DD MM YYYY)

--	--	--	--	--	--

and

- ☐ has **not** failed, or ceased to respond to, PBS-subsidised treatment with this drug (the biological medicine this application is for) for this condition during the current treatment cycle

17 Has the patient failed, or ceased to respond to, PBS-subsidised treatment with 3 biological medicines for this condition within this treatment cycle?

Yes ☐ ► **Go to 18**

No ☐ ► **Go to 19**

18 Is this for prescribing a newly listed biological medicine (**upadacitinib**) with a different mechanism of action that has become available on the PBS for this condition since the patient commenced their 5 year break due to 3 failures?

Yes ☐ and the patient has never been prescribed this newly listed biological medicine (**upadacitinib**)

No ☐

19 Provide date of clinical assessment (DD MM YYYY)

--	--	--	--	--	--

20 The patient has:

- ☐ experienced a **serious adverse reaction** necessitating permanent treatment withdrawal to the most recent course of PBS-subsidised biological medicine treatment

► **Go to 25**

or

- ☐ **failed** to demonstrate an adequate response to the most recent course of PBS-subsidised biological medicine treatment

► **Go to 25**

or

- ☐ demonstrated an **adequate response** to the most recent course of PBS-subsidised biological medicine treatment

► **Go to 21**

For a patient demonstrating a response (to current or previous biological medicine)

21 Has the assessment of response been conducted within the time frame specified in the PBS restriction?

Yes ☐

No ☐

22 The patient has demonstrated an adequate response to the most recent PBS-subsidised treatment evidenced by:

Only applicable to patients assessed by CDAI or with extensive small intestine disease at baseline

☐ a reduction in Crohn Disease Activity Index (CDAI) score to a level ≤ 150

CDAI score

Date of assessment (DD MM YYYY)

--	--	--	--	--	--	--	--

Only applicable to patients with short gut syndrome, extensive small intestine disease or an ostomy

☐ an improvement of intestinal inflammation as demonstrated by:

☐ blood: normalisation of platelet count

☐ blood: an erythrocyte sedimentation rate (ESR) ≤ 25 mm/hr

☐ blood: a C-reactive protein (CRP) level ≤ 15 mg/L

☐ faeces: normalisation of lactoferrin or calprotectin level

☐ evidence of mucosal healing, as demonstrated by diagnostic imaging findings, compared to the baseline assessment

or

☐ reversal of high faecal output state

or

☐ avoidance of the need for surgery or total parenteral nutrition (TPN)

The **same criterion** used to establish baseline **must** be used to assess whether an adequate response to treatment has occurred.

Response assessment must be conducted following a **minimum of or up to 12 weeks** of treatment depending on the biological medicine requested. This assessment must be submitted **no later than 4 weeks** from the cessation of treatment.

► Go to 25

For a patient submitting a new baseline

23 The patient has:

☐ a Crohn Disease Activity Index (CDAI) score ≥ 300 that is no more than 4 weeks old

Baseline CDAI score

Date of assessment (no more than 1 month old)
(DD MM YYYY)

--	--	--	--	--	--	--	--

or

☐ extensive small intestinal disease affecting > 50 cm of the small intestine with a documented history and radiological evidence of intestinal inflammation

and

☐ has a CDAI score ≥ 220 that is no more than 4 weeks old

Baseline CDAI score

Date of assessment (no more than 1 month old)
(DD MM YYYY)

--	--	--	--	--	--	--	--

or

☐ short gut syndrome with diagnostic imaging or surgical evidence, or has had an ileostomy or colostomy

and

☐ has documented history of intestinal inflammation.

24 The patient has:

☐ been assessed clinically as being in a high faecal output state

or

☐ been assessed clinically as requiring surgery or total parenteral nutrition (TPN) as the next therapeutic option, in the absence of this drug, if affected by short gut syndrome, extensive small intestine disease or is an ostomy patient

or

☐ evidence of intestinal inflammation including:

☐ blood: higher than normal platelet count

☐ blood: an elevated erythrocyte sedimentation rate (ESR) > 25 mm/hr


☐ blood: a C-reactive protein (CRP) level > 15 mg/L

☐ faeces: a higher than normal lactoferrin or calprotectin level

☐ diagnostic imaging: demonstration of increased uptake of intravenous contrast with thickening of the bowel wall or mesenteric lymphadenopathy or fat streaking in the mesentery.

The **same criterion** used to establish baseline **must** be used to assess whether an adequate response to treatment has occurred.

Checklist

- 25  The relevant attachments need to be provided with this form.
- ☐ Details of the proposed prescription(s).
- ☐ The relevant pathology reports, diagnostic imaging test(s) and/or the completed Adult Crohn's Disease Activity Index calculation sheet.

Privacy notice

- 26 Personal information is protected by law (including the *Privacy Act 1988*) and is collected by Services Australia for the purposes of assessing and processing this authority application. Personal information may be used by Services Australia, or given to other parties where the individual has agreed to this, or where it is required or authorised by law (including for the purpose of research or conducting investigations). More information about the way in which Services Australia manages personal information, including our privacy policy, can be found at servicesaustralia.gov.au/privacypolicy

Prescriber's declaration

You do not need to **sign** the declaration if you complete this form using Adobe Acrobat Reader and return this form through Health Professional Online Services (HPOS) at servicesaustralia.gov.au/hpos

27 I declare that:

- I am aware that this patient must meet the criteria listed in the current Schedule of Pharmaceutical Benefits to be eligible for this medicine
- I have informed the patient their personal information (including health information) will be disclosed to Services Australia for the purposes of assessing and processing this authority application
- I have provided details of the proposed prescription(s) and the relevant attachments as specified in the Pharmaceutical Benefits Scheme restriction
- the information I have provided in this form is complete and correct.

I understand that:

- giving false or misleading information is a serious offence.

☐ I have read, understood and agree to the above.

Date (DD MM YYYY) (you **must** date this declaration)

--	--	--	--	--	--	--	--

Prescriber's signature (**only** required if returning by post)



Returning this form

Return this form, details of the proposed prescription(s) and any relevant attachments:

- **online** (no signature required), upload through HPOS at servicesaustralia.gov.au/hpos
or
- by post (signature required) to
Services Australia
Complex Drugs Programs
Reply Paid 9826
HOBART TAS 7001

Week ending (DD MM YYYY)

Each parameter in this table must be assigned a value.

			Factor	Subtotal
Liquid stools (cumulative total over the last 7 days)	Number of liquid or soft stools over the last 7 days	sum =	x 2	
	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>			
Abdominal pain † (cumulative total over the last 7 days)	Daily assessment †	sum =	x 5	
	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>			
General well being ‡ (cumulative total over the last 7 days)	Daily assessment ‡	sum =	x 7	
	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>			
Extra-intestinal				
Arthritis/arthralgia	None = 0	score =	x 20	
	Yes = 1			
Iritis/uveitis	None = 0	score =	x 20	
	Yes = 1			
Skin/mouth lesions	None = 0	score =	x 20	
	Yes = 1			
Peri-anal disease	None = 0	score =	x 20	
	Yes = 1			
Other fistula	None = 0	score =	x 20	
	Yes = 1			
Fever > 37.8°C	None = 0	score =	x 20	
	Yes = 1			
Anti-diarrhoeals	None = 0	score =	x 30	
	Yes = 1			
Abdominal mass	None = 0	score =	x 10	
	Questionable = 2			
	Definite = 5			
Haematocrit (Hct)	Males (47 – Hct)	score =	x 6	
	Females (42 – Hct)	score =	x 6	
Weight (Maximum deduction of -10 for overweight patients)	Standard kg	kg	100 x $\left(1 - \frac{\text{current}}{\text{standard}}\right)$	
	Current kg	kg		
TOTAL CDAI SCORE				

† Abdominal pain	None = 0
	Intermediate = 1 or 2
	Severe = 3
‡ General well being	Well = 0
	Intermediate = 1, 2 or 3
	Terrible = 4